
MarkLogic Server

Installation Guide for All Platforms

MarkLogic 5
October, 2011

Last Revised: 5.0-3, March, 2012

Table of Contents

Installation Guide for All Platforms

1.0	Requirements and Database Compatibility	3
1.1	Introduction	3
1.2	Memory, Disk Space, and Swap Space Requirements	4
1.3	Supported Platforms	5
1.4	Upgrades and Database Compatibility	6
1.4.1	Prerequisites for Application Services Portion of the Upgrade	6
1.4.2	MarkLogic 5 Database Compatibility With 4.2, 4.1, and 4.0	8
1.4.3	4.0 Database Compatibility With 3.2	8
1.4.4	3.2 Database Compatibility With 3.1	8
1.4.5	3.1/3.2 Database Compatibility With 3.0	9
2.0	Procedures	11
2.1	Upgrading from Previous Releases	11
2.1.1	Note That Reindexing is On By Default	12
2.1.2	Upgrading from Release 5.0-1 or Later	12
2.1.3	Upgrading from Release 4.2 or 4.1	13
2.1.4	Upgrading from Release 4.0 or earlier	14
2.2	Turning Off Internet Explorer User-Friendly HTTP Messages	14
2.3	Installing MarkLogic Server	16
2.4	Starting MarkLogic Server	20
2.5	Entering the License Key and Accepting the License Agreement	21
2.6	Configuring a New Installation	24
2.7	Enterprise Edition: Configuring the First and Subsequent Hosts	26
2.7.1	Enterprise Edition: Configuring a Single Host or the First Host in a Cluster 26	
2.7.2	Enterprise Edition: Configuring an Additional Host in a Cluster	28
2.7.3	Enterprise Edition: Leaving a Cluster and Becoming a Single Host	30
2.8	Checking for the Correct Software Version	31
2.9	Configuring MarkLogic Server on UNIX Systems to Run as a Non-daemon User . 32	
2.10	Removing MarkLogic Server	34
3.0	Technical Support	36
	Product Notices	37
	COPYRIGHT	37
	TRADEMARK NOTICE	44

1.0 Requirements and Database Compatibility

This chapter introduces MarkLogic Server, lists the product requirements and supported platforms, and describes the database compatibility with previous releases. It includes the following sections:

- [Introduction](#)
- [Memory, Disk Space, and Swap Space Requirements](#)
- [Supported Platforms](#)
- [Upgrades and Database Compatibility](#)

1.1 Introduction

MarkLogic Server is a powerful software solution for harnessing your digital content base. MarkLogic Server enables you to build complex applications that interact with large volumes of content in XML, SGML, HTML and other popular content formats. The unique architecture of MarkLogic Server ensures that your applications are both scalable and high-performance, delivering query results at search-engine speeds while providing transactional integrity over the underlying content repository. MarkLogic Server Enterprise Edition can be configured for a distributed environment, enabling you to scale your infrastructure through hardware expansion.

This document describes how to install MarkLogic Server on your system. It covers both Enterprise and Standard Edition on all supported platforms. It is intended for a technical audience, specifically an IT staff with experience in XML.

This installation guide explains the procedures needed to install MarkLogic Server on your system. This document only explains how to install the software, not how to use the software. To learn how to get started using the software, see the following documents (available on developer.marklogic.com):

- *Getting Started With MarkLogic Server*
- *MarkLogic Server Administrator's Guide*
- *MarkLogic Server Application Developer's Guide*
- *MarkLogic Server Search Developer's Guide*
- *MarkLogic XQuery and XSLT Function Reference*
- *MarkLogic Server Release Notes*

1.2 Memory, Disk Space, and Swap Space Requirements

Before installing the software, be sure that your system meets the following requirements:

- 512 MB of system memory, minimum. 2 GB or more recommended, depending on database size. If you plan to deploy the full data set for the Oscar sample application bundled Application Builder on a 32-bit Microsoft Windows XP system, you should have at least 3GB of system memory.

The first time it runs, MarkLogic Server automatically configures itself to the amount of memory on the system, reserving as much as it can for its own use. If you need to change the default configuration, you can manually override these defaults at a later time using the Admin Interface.

- 3 times the disk space of the total forest size. Specifically, each forest on a filesystem requires its filesystem to have at least 3 times the forest size in disk space. This translates to three times the disk space of the source content after it is loaded.

For example, if you plan on loading content that will result in a 10 GB database, reserve at least 30 GB of disk space. The disk space reserve is required for merges.

- On UNIX systems, swap space at least equal to the amount of physical memory on the machine. Swap space equal to twice the amount of physical memory is highly recommended.

For example, if you have a UNIX machine with 32 GB of memory, you should ideally configure the swap space to be 64 GB (and at least 32 GB). This is true on Windows systems also, but the system is normally set up to grow the swap (page) file as needed.

- On Linux systems, MarkLogic recommends setting Linux Huge Pages to 3/8 the size of your physical memory. For details on setting up Huge Pages, see <http://magazine.redhat.com/2007/05/29/how-do-i-set-up-hugepages-in-red-hat-enterprise-linux-4/>.

If you have Huge Pages set up on a Linux system, your swap space on that machine should be twice the size of your physical memory minus the size of your Huge Page (because Linux Huge Pages are not swapped). For example, if you have 64GB of physical memory, and if you have Huge Pages set to 24 GB, then you need swap space of 80 GB $[(64 - 24) \times 2]$.

At system startup on Linux machines, MarkLogic Server logs a message to the `ErrorLog.txt` file showing the Huge Page size, and the message indicates if the size is below the recommended level.

1.3 Supported Platforms

MarkLogic Server is supported on the following platforms:

- Microsoft Windows Server 2008 (x86), Microsoft Windows 2003 Server (x86), Microsoft Windows XP SP2, Microsoft Windows Vista 32-bit Edition (x86)*
- Microsoft Windows Server 2008 (x64), Windows 2003 Server 64-bit Edition (x64), Windows Vista 64-bit Edition (x64), Windows 7 64-bit (x64)*
- Sun Solaris 10 (64-bit SPARC)
- Sun Solaris 10 (x64)
- Red Hat Enterprise Linux 5 (x86)** ***
- Red Hat Enterprise Linux 5 (x64)** *** ****
- Red Hat Enterprise Linux 6 (x64)** *** **** *****
- SUSE Linux Enterprise Server 11 (x64)** ***
- CentOS 5 (x64)** ***
- Mac OS X 10.6*****

* Microsoft Windows Vista and Windows 7 are supported for development only.

If MarkLogic Server fails to start up on Windows with the error “the application failed to initialize properly (0xc0150002)”, then a dependency is missing from your environment and you need to download and install one of the following DLLs:

32-bit versions of Windows require the DLL at the following link:

<http://www.microsoft.com/downloads/details.aspx?familyid=200B2FD9-AE1A-4A14-984D-389C36F85647&displaylang=en>.

64-bit versions of Windows require the following DLL:

<http://www.microsoft.com/downloads/details.aspx?FamilyID=eb4ebe2d-33c0-4a47-9dd4-b9a6d7bd44da&DisplayLang=en>.

** The deadline I/O scheduler is required on Red Hat Linux platforms. The deadline scheduler is optimized to ensure efficient disk I/O for multi-threaded processes, and MarkLogic Server can have many simultaneous threads. For information on the deadline scheduler, see the Red Hat documentation (for example, <http://www.redhat.com/magazine/008jun05/features/schedulers/>).

***The `redhat-lsb`, `glibc`, and `gdb` packages are required on Red Hat Linux. Additionally, on 64-bit Red Hat Linux, both the 32-bit and the 64-bit `glibc` packages are required.

****Red Hat Linux 5 (x64) is also supported in a VMWare ESX 3.0.2, ESX 3.5.3, or ESX 4.0 (installed on bare metal) environment.

*****Mac OS X is supported for development only. Conversion (Office and PDF) and entity enrichment are not available on Mac OS X. Mac OS X 10.6 (Snow Leopard) on a 64-bit capable processor is required (<http://support.apple.com/kb/HT3696>).

*****Red Hat Enterprise Linux 6 (x64) is supported in releases 5.0-2 and later.

1.4 Upgrades and Database Compatibility

MarkLogic 5 supports upgrades from MarkLogic Server 4.1 or from MarkLogic Server 4.2-*x* or later databases. If you are upgrading from an earlier version of MarkLogic Server, you must first upgrade to 4.1 or 4.2 before moving to MarkLogic 5. For the procedure for upgrading to MarkLogic Server 4.1 or 4.2, see “Upgrading from Previous Releases” on page 11.

During the upgrade, the security database, the schemas database, and the configuration files are automatically upgraded. The security database is upgraded with the latest execute privileges and the schemas database is upgraded with the latest version of the schemas used by MarkLogic Server. The upgrade occurs as part of the installation procedure.

Databases that contain your own content are also upgraded to work with MarkLogic 5; once you upgrade to MarkLogic 5, you will no longer be able to use that database with MarkLogic Server 4.2 or 4.1. MarkLogic Corporation strongly recommends performing a backup of your databases before upgrading to MarkLogic 5. Additionally, MarkLogic Corporation recommends that you first upgrade to the latest maintenance release of 4.1 or 4.2 before upgrading to MarkLogic 5.

For the procedure for upgrading to MarkLogic 5, see “Upgrading from Previous Releases” on page 11. For details about known incompatibilities between MarkLogic Server 4.1, 4.2, and MarkLogic 5, see [Known Incompatibilities with Previous Releases](#) in the *Release Notes*.

This section contains database compatibility information between various releases, and includes the following sections.

- [Prerequisites for Application Services Portion of the Upgrade](#)
- [MarkLogic 5 Database Compatibility With 4.2, 4.1, and 4.0](#)
- [4.0 Database Compatibility With 3.2](#)
- [3.2 Database Compatibility With 3.1](#)
- [3.1/3.2 Database Compatibility With 3.0](#)

1.4.1 Prerequisites for Application Services Portion of the Upgrade

When Upgrading from 4.1 or 4.2 to MarkLogic 5, the upgrade reconfigures the Docs and App Services App Servers, which by default are on port 8000 and port 8002 in 4.2. In order for those App Servers to be upgraded, the following conditions must be met:

- Either no App Server is running on port 8000 or the App Server on port 8000 has a root of `Docs/`.
- Either no App Server is running on port 8002 or the App Server on port 8002 has a root of `Apps/` OR `Apps/appbuilder`.

If the above conditions are met, then those App Servers are reconfigured during the MarkLogic 5 upgrade and the resulting configurations have the following settings:

App-Services:

App-Services App Server	
Port	8000
Name	App-Services
Root	Apps/
Error Handler	error-handler.xqy
URL Rewriter	rewriter.xqy
Database	App-Services

Manage:

Manage App Server	
Port	8002
Name	Manage
Root	Apps/
Error Handler	manage/error-handler.xqy
URL Rewriter	manage/rewriter.xqy
Database	App-Services
Privilege	manage

If the conditions are not met, then the upgrade logs an error to the `ErrorLog.txt` file and the Application Services portion of the upgrade is skipped. MarkLogic Server will still operate, but you will not be able to use Query Console, Application Builder, Information Studio, the Management API, and the rest of the Application Services features. To restore the Application Services functionality after a failed upgrade, create two App Servers with the configuration shown above. If you have any problems, contact MarkLogic technical support.

1.4.2 MarkLogic 5 Database Compatibility With 4.2, 4.1, and 4.0

MarkLogic 5 databases include improvements compared to 4.2 and earlier databases. Therefore, to take advantage of these improvements, you need to reindex your 4.2 or earlier databases in MarkLogic 5. When you upgrade to MarkLogic 5, all databases with `reindex enable` set to `true` will automatically begin reindexing immediately. If you do not want the databases to reindex, you must set `reindex enable` to `false` *before* upgrading (that is, you must set `reindex enable` to `false` in 4.2 or 4.1). You can always reindex your content later by changing this setting back to `true` after installing MarkLogic 5.

Also, you can reindex your content a little bit at a time by enabling reindexing for a while, then disabling it for a while, then enabling it, and so on. You might want to use this technique to reindex your database during non-peak hours, for example, over a period of hours or days or weeks, depending on how large your database is. Always ensure that you have the proper system requirements, as defined in “Memory, Disk Space, and Swap Space Requirements” on page 4.

1.4.3 4.0 Database Compatibility With 3.2

Note: This section is here for reference only about the compatibility between MarkLogic Server 4.0 and 3.2.

MarkLogic Server 4.0 databases can have several new indexes compared to 3.2 databases. Therefore, to take advantage of these new features, you need to reindex your 3.2 databases in 4.0. When you upgrade to 4.0, all databases with `reindex enable` set to `true` will automatically begin reindexing immediately. If you do not want the databases to reindex, you must set `reindex enable` to `false` *before* upgrading (that is, you must set `reindex enable` to `false` in 3.2). You can always reindex your content later by changing this setting back to `true` after installing MarkLogic Server 4.0.

Also, you can reindex your content a little bit at a time by enabling reindexing for a while, then disabling it for a while, then enabling it, and so on. You might want to use this technique to reindex your database during non-peak hours, for example, over a period of hours or days or weeks, depending on how large your database is. Always ensure that you have the proper system requirements, as defined in “Memory, Disk Space, and Swap Space Requirements” on page 4.

1.4.4 3.2 Database Compatibility With 3.1

Note: This section is here for reference only about the compatibility between MarkLogic Server 3.2 and 3.1.

MarkLogic Server 3.2 and newer databases are language-aware. Details such as stemming and tokenization are different for different languages. For an overview of how languages work in MarkLogic Server, see the “Languages, Encodings, and Collations” chapter of the *Application Developer's Guide*.

Because of the differences in stemming and tokenization between languages, and because MarkLogic Server allows you to specify languages at the element level, the index data in MarkLogic Server databases contains language-specific information. Additionally, there are other features in 3.2 that require 3.2 (or newer) indexes.

When you upgrade to 3.2, all databases with `reindex enable` set to `true` will begin reindexing immediately. If you do not want the databases to reindex, you must set `reindex enable` to `false` *before* upgrading (that is, you must set `reindex enable` to `false` in 3.1). You can always reindex your content later by changing this setting back to `true` after installing MarkLogic Server 3.2.

MarkLogic Server 3.2 automatically detects the format of the content in the database. If you do not reindex the content when upgrading to 3.2 (that is, if you set `reindex enable` to `false` in your database configuration *before* you install 3.2), then the database will run in compatibility mode, and certain 3.2 features will be disabled (for example, non-English languages and `cts:frequency` for lexicon values).

1.4.5 3.1/3.2 Database Compatibility With 3.0

Note: This section is here for reference only about the compatibility between MarkLogic Server 3.1 and 3.0.

You can have this same level of compatibility as other versions and 4.0 between 4.0 and 3.0 as well. You must upgrade to MarkLogic Server 3.1 before upgrading to MarkLogic Server 3.2 and 4.0. For details on upgrading from 3.0 to 3.1, see the MarkLogic Server 3.1 *Installation Guide*.

MarkLogic Server 3.1 and newer has diacritic-aware indexes. MarkLogic Server 3.0 does not have diacritic-aware indexes. Therefore, databases created with 3.0 will have different default behavior in 3.1 in the handling of searches that involve diacritic characters. Additionally, databases created in 3.0 that are not reindexed might miss diacritic-insensitive matches on `cts:search` operations. Note the following about user-created databases that are upgraded to MarkLogic Server 3.1:

- If reindexing is enabled, MarkLogic Server 3.1 will reindex any 3.0 database in order to rebuild the default text indexes as diacritic-insensitive indexes. After the reindex operation is completed, all diacritic searches will work correctly.
- If reindexing is not enabled, then diacritic searches using MarkLogic Server 3.1 will behave differently against 3.0 databases than 3.1 databases. Any `cts:search` operations on upgraded, un-reindexed 3.0 databases, with terms that incorporate diacritics (in the search specification or in the content loaded in MarkLogic Server) have the following characteristics:
 - If the term passed to `cts:search` incorporates one or more diacritic characters, and the search is either explicitly or implicitly `diacritic-sensitive`, then the search will work correctly.

- If the term passed to `cts:search` incorporates one or more diacritic characters, and the search is explicitly `diacritic-insensitive`, then the search will not match terms in the source content that had diacritics.
- If the term passed to `cts:search` does not incorporate any diacritic characters, and the search is explicitly `diacritic-sensitive`, then the search will work correctly.
- If the term passed to `cts:search` does not incorporate any diacritic characters, and if the search is implicitly or explicitly `diacritic-insensitive`, then the search will not match terms in the source content that incorporated diacritics (even though you specified `diacritic-insensitive` matches).
- If the source content does not incorporate diacritic characters, or if diacritic-related recall is not important to your application, these incomplete search issues may not pose a problem for you. However, you should understand that at any point in the future, if you enable reindexing, the database will undertake this reindexing task concurrently with any other reindexing tasks that may be required.
- Note that the database has no way to know whether or not your source content incorporates diacritics, so if reindexing is enabled, it will reindex all the documents in order to ensure that text indexes are diacritic-aware.
- Any new or changed content will be added diacritic-aware, potentially creating different diacritic behavior for different parts of your content set.
- If you choose not to reindex your 3.0 database, and if you always specify the `diacritic-sensitive` option to `cts:search`, then your results will be the same as they were in MarkLogic Server 3.0.

2.0 Procedures

This section describes the following procedures to install MarkLogic Server on your system.

- [Upgrading from Previous Releases](#)
- [Turning Off Internet Explorer User-Friendly HTTP Messages](#)
- [Installing MarkLogic Server](#)
- [Starting MarkLogic Server](#)
- [Entering the License Key and Accepting the License Agreement](#)
- [Configuring a New Installation](#)
- [Enterprise Edition: Configuring the First and Subsequent Hosts](#)
- [Checking for the Correct Software Version](#)
- [Configuring MarkLogic Server on UNIX Systems to Run as a Non-daemon User](#)
- [Removing MarkLogic Server](#)

Be sure to complete each procedure in the order presented.

2.1 Upgrading from Previous Releases

If you have previously installed MarkLogic Server on a machine, you must uninstall the old release before proceeding with the new installation. For information on removing the software, see “Removing MarkLogic Server” on page 34 or the *Installation Guide* from the previous release. This section describes the following information and upgrade paths:

- [Note That Reindexing is On By Default](#)
- [Upgrading from Release 5.0-1 or Later](#)
- [Upgrading from Release 4.2 or 4.1](#)
- [Upgrading from Release 4.0 or earlier](#)

If you are upgrading a cluster to a new release, see [Upgrading a Cluster to a New Maintenance Release of MarkLogic Server](#) in the *Scalability, Availability, and Failover Guide*. The security database and the schemas database must be on the same host, and that host should be the first host you upgrade when upgrading a cluster.

2.1.1 Note That Reindexing is On By Default

Before upgrading from 4.1 to 4.2, be aware that database reindexing is enabled by default. If you have a very large database, or if you have many databases configured, they will start reindexing after you install MarkLogic 5, as soon as you accept the license key. Reindexing is a CPU and disk-intensive process, and it can take some time. Consequently, it can slow down the machine, particularly if the machine has a slow disk system (for example, a development laptop).

If you want to delay reindexing, set `reindex enable` to `false` in your database configurations *before* you install MarkLogic 5 (that is, you must set `reindex enable` to `false` in 4.2 or 4.1). MarkLogic 5 will then run in 4.2 or 4.1 compatibility mode until reindexing is enabled and completes. To re-enable indexing, set `reindex enable` to `true` in each of your database configurations after completing the installation (that is, after accepting the license key and after performing the configuration and security database upgrades). After reindexing has been enabled, it will commence immediately and continue until it is done, or until reindexing is disabled. For details about database compatibility, see “Upgrades and Database Compatibility” on page 6.

2.1.2 Upgrading from Release 5.0-1 or Later

To upgrade from release 5.0-1 or later to the current MarkLogic 5 release, perform the following basic steps:

1. Shut down MarkLogic 5 (as described in step 1 of “Removing MarkLogic Server” on page 34).
2. Uninstall the old MarkLogic 5 release (as described in “Removing MarkLogic Server” on page 34).
3. Install the new MarkLogic 5 release (as described in “Installing MarkLogic Server” on page 16).

If you are upgrading a cluster to a new release, see [Upgrading a Cluster to a New Maintenance Release of MarkLogic Server](#) in the *Scalability, Availability, and Failover Guide*.

Warning: There is no direct upgrade path from Early Access releases of MarkLogic 5 to this release. If you need to move any data from an Early Access release to this release, you must re-create the data in the current release.

2.1.3 Upgrading from Release 4.2 or 4.1

MarkLogic 5 installs in the same default directory as Release 4.2 and 4.1, so there is no need to move any old files around. The upgrade to MarkLogic 5 does incorporate an automatic update to the Security database and to the configuration files. The Security database upgrade occurs when you first access the Admin Interface after the MarkLogic 5 installation (and after accepting the license agreement).

Uninstalling a previous release of MarkLogic Server does not remove or delete the user data files (the forests and configuration information). When upgrading to MarkLogic 5, you must first uninstall previous releases of MarkLogic Server.

Note: For Enterprise Edition installations, if you are upgrading a cluster of two or more servers, you must first upgrade the server in which the Security database is mounted. The Security database must be available before subsequent hosts can join the cluster.

The basic steps to upgrade from Release 4.2 or 4.1 to MarkLogic 5 are as follows:

1. As a precaution, perform database backups on your MarkLogic Server 4.2 or 4.1 databases.
2. If you do not want to reindex a database, disable reindexing for that database before installing MarkLogic Server 4.2 or 4.1 (set `reindexer enable` to `false` on the Database Configuration page of the Admin Interface). The entire database will be reindexed after upgrading to MarkLogic 5 unless you disable reindexing. For details, see “Upgrades and Database Compatibility” on page 6. You can always reindex the database later by setting `reindexer enable` database configuration option to `true`.
3. Shut down MarkLogic Server 4.2 or 4.1 (as described in step 1 of “Removing MarkLogic Server” on page 34).
4. Uninstall MarkLogic Server 4.2 or 4.1 (as described in “Removing MarkLogic Server” on page 34).
5. Install MarkLogic 5 (as described in “Installing MarkLogic Server” on page 16).
6. Start MarkLogic 5 (as described in “Starting MarkLogic Server” on page 20).
7. Open the Admin Interface in a browser (<http://localhost:8001/>).
8. Accept the license agreement.

Note: Accepting this license agreement is optional. However, to begin using MarkLogic Server, you must accept the terms and conditions outlined in the license agreement. If you have executed a written software license with MarkLogic Corporation, the agreement displayed references that written agreement.

9. When the Admin Interface prompts you to upgrade the Security database and the configuration files, click the button to confirm the upgrade.

10. If you have CPF installed in any database and you want to use any of the new pipelines in MarkLogic 5, then you must reinstall CPF for those databases. To reinstall CPF for a database, in the Admin Interface navigate to Databases -> *database-name* -> Content Processing, click the Install tab, and click the Reinstall button. This loads all of the new pipelines into the triggers database configured for that database.

There are some known application incompatibilities between MarkLogic 5 and 4.2, as well as some incompatibilities between 4.2 and 4.1. Some of the incompatibilities might require minor code changes to your applications. For details on these incompatibilities, see the *Release Notes*.

2.1.4 Upgrading from Release 4.0 or earlier


MarkLogic 5 only supports upgrading from Release 4.1-1 or later; it does not provide a direct upgrade path for previous releases of MarkLogic Server. If you are upgrading from a 4.0 or earlier release of MarkLogic Server, either install this release as a clean installation or upgrade your existing release to Release 4.2 before installing this release. For details on upgrading a MarkLogic Server Release 4.0 or earlier release to 4.2, see the *Installation Guide* for MarkLogic Server 4.2. If you are upgrading from 4.0 and do not want to reindex your content, set the `reindexer enable` to `false` before upgrading from 4.1 to 4.2. You can run MarkLogic 5 in either 3.0, 3.1, 3.2, 4.0, 4.1, or 4.2 compatibility mode, as described in “Upgrades and Database Compatibility” on page 6.

2.2 Turning Off Internet Explorer User-Friendly HTTP Messages

If you are using a Microsoft Internet Explorer browser, turn off the “Show friendly HTTP messages” option. Turning this option off allows any error messages from MarkLogic Server to display in full in your browser. Perform the following steps to turn this option off:

1. Start Internet Explorer.
2. Select Tools > Internet Options from the Internet Explorer menu.
The Internet Options dialog box appears.
3. Click the Advanced tab.

4. Scroll down and uncheck the “Show friendly HTTP messages” option.



5. Click OK.

2.3 Installing MarkLogic Server

This section describes the procedure for installing MarkLogic Server on each platform. Perform the procedure corresponding to the platform to which you are installing.

If you are upgrading a cluster to a new release, see [Upgrading a Cluster to a New Maintenance Release of MarkLogic Server](#) in the *Scalability, Availability, and Failover Guide*.

Platform	Perform the following:
Windows (x86 and x64)	<ol style="list-style-type: none"> <li data-bbox="428 579 1414 722">1. Shut down and uninstall the previous release of MarkLogic Server (if you are upgrading from 4.2, see “Upgrading from Release 4.2 or 4.1” on page 13, if you are upgrading from 5.0-1 or later, see “Removing MarkLogic Server” on page 34). <li data-bbox="428 743 1414 848">2. Download the MarkLogic Server installation package to your desktop. The latest installation packages are available from http://developer.marklogic.com. <li data-bbox="428 869 1414 974">3. Double click the <code>MarkLogic-5.0-1-i686.msi</code> icon to start the installer (<code>MarkLogic-5.0-1-amd64.msi</code> for x64 (64-bit AMD Opteron and 64-bit Intel EM64T)). Note: If you are installing a release other than 5.0-1, double-click on the appropriately named installer icon. <li data-bbox="428 1142 1414 1163">4. The Welcome page displays. Click Next. <li data-bbox="428 1184 1414 1205">5. Select Typical. <li data-bbox="428 1226 1414 1247">6. Click Install. <li data-bbox="428 1268 1414 1289">7. Click Finish.

Platform	Perform the following:
Red Hat Linux (x86 and x64)	<ol style="list-style-type: none"> <li data-bbox="428 279 1414 422">1. Shut down and uninstall the previous release of MarkLogic Server (if you are upgrading from 4.2, see “Upgrading from Release 4.2 or 4.1” on page 13, if you are upgrading from 5.0-1 or later, see “Removing MarkLogic Server” on page 34). <li data-bbox="428 443 1414 810">2. Download the package to /tmp using your web browser. The latest installation packages are available from the http://developer.marklogic.com. Note: If you are using Firefox or another browser that is configured to associate rpm files, the browser will prompt you for the root password (if you are not already running as root) and you can follow the prompts to complete the installation. When the installation is complete, you can skip the next step. Otherwise, continue to the next step. <li data-bbox="428 852 1414 1136">3. As the root user, install the package with the following command: <pre>rpm -i /tmp/MarkLogic-5.0-1.i686.rpm</pre> Note: The package name will end in amd64.rpm for x64 (64-bit AMD Opteron and 64-bit Intel EM64T). If you are installing a release other than 5.0-1, replace the characters 5.0-1 in the line above with the appropriate release number.

Platform	Perform the following:
Sun Solaris (64-bit SPARC and x64)	<ol style="list-style-type: none"> 1. Shut down and uninstall the previous release of MarkLogic Server (see “Removing MarkLogic Server” on page 34). 2. Download the package to <code>/var/spool/pkg</code> using your web browser. The latest installation packages are available from http://developer.marklogic.com. 3. Unpack the compressed tar file in <code>/var/spool/pkg</code> with the following shell commands: <pre style="margin-left: 40px;">% cd /var/spool/pkg % uncompress MARKlogic-5.0-1-sparc.tar.Z % tar xf MARKlogic-5.0-1-sparc.tar % rm MARKlogic-5.0-1-sparc.tar</pre> <p>Note: The package name will end in <code>amd64.tar.Z</code> for x64 (64-bit AMD Opteron and Intel 64-bit EM64T). If you are installing a release other than 5.0-1, replace the characters 5.0-1 in the line above with the appropriate release number.</p> 4. As the <code>root</code> user, install the package with the following command: <pre style="margin-left: 40px;"># pkgadd MARKlogic</pre>
Mac OS X	<ol style="list-style-type: none"> 1. Download the MarkLogic Server installation package to your desktop. The latest installation packages are available from the http://developer.marklogic.com. 2. Double click the <code>MarkLogic-5.0-1-x86_64.dmg</code> icon to open the folder that contains the <code>MarkLogic-5.0-1-x86_64.pkg</code> installer. Double click on the installer to start. 3. The Welcome page displays. Click Continue. 4. In the Select a Destination window, select a destination to install MarkLogic Server or Continue to select the default destination. 5. In the Installation Type window, click Install. An Installation window appears that displays the progress of the installation. 6. When the installation Summary window appears, click Close. 7. A MarkLogic control window appears from which you can start/stop MarkLogic Server, open the Admin Interface, and view the Error Log.

The following table shows the installation directory (<marklogic-dir>) and the default data directory for each platform:

Platform	Installation Directory	Default Data Directory (for configuration and log files)
Windows	c:\Program Files\MarkLogic\	c:\Program Files\MarkLogic\Data
Red Hat Linux	/opt/MarkLogic	/var/opt/MarkLogic
Sun Solaris	/opt/MARKlogic	/var/opt/MARKlogic
Mac OS X	~/Library/MarkLogic	~/Library/Application Support/Mark- Logic/Data

The default forest directory is the same as the default data directory if the optional data directory is not specified during forest creation. On UNIX platforms, if you want MarkLogic Server to use another location for its default data directory, make your data directory (/var/opt/MarkLogic on Linux and /var/opt/MARKlogic on Solaris) a soft link to the alternate location.

If you have an entity enrichment license, you must first install the entity enrichment packages before you can use the feature. For the installation procedure for entity enrichment, see [Installing the Entity Enrichment Libraries](#) in the *Search Developer's Guide*.

2.4 Starting MarkLogic Server

MarkLogic Server will automatically start when the computer reboots. To start MarkLogic Server without rebooting, perform the following command for the platform on which you are running:

Platform	Perform the following:
Windows	<p>Select Start > Programs > MarkLogic Server > Start MarkLogic Server.</p> <p>Note: When you start MarkLogic Server from the Start menu, the Windows service configuration for MarkLogic Server is set to start automatically. Also, if you are using Windows Vista or Windows 7, to start the service you must right-click the Start MarkLogic Server link in the Start menu and choose Run as Administrator, then choose to allow the action.</p>
Red Hat Linux	<p>As the <code>root</code> user, enter the following command:</p> <pre data-bbox="461 976 893 1003">/etc/init.d/MarkLogic start</pre>
Sun Solaris	<p>As the <code>root</code> user, enter the following command:</p> <pre data-bbox="461 1108 893 1136">/etc/init.d/MarkLogic start</pre>
Mac OS X	<p>Select System Preferences > MarkLogic to open the MarkLogic control window. Click Start MarkLogic Server.</p>

This starts all of the App Servers that are configured on your MarkLogic Server.


2.5 Entering the License Key and Accepting the License Agreement

If you are upgrading from MarkLogic Server 4.1, 4.2, or an earlier MarkLogic 5 release, there is no need to enter a new license key for MarkLogic 5; the old key will continue to work in MarkLogic 5 for the features for which you are licensed. In that case, you can skip this section.

You must enter a valid license key before you can execute any queries in MarkLogic Server. If you downloaded MarkLogic Server from developer.marklogic.com, you can obtain a license key through the License Key Request screen in the Admin Interface. If you are a MarkLogic customer and obtained the release from support, you can obtain your license key from MarkLogic support.

To enter a license key, perform the following steps:

1. If you have not already done so, start MarkLogic Server as described in the previous section.
2. Open the Admin Interface in a browser. For example, if you are running your browser on the computer in which MarkLogic Server is running, open the following URL in a browser:
<http://localhost:8001/>
3. The License Key Entry page appears.



The screenshot shows the 'License Key Entry' page. At the top, it says 'Please enter the license key for host: hp8440-1162.marklogic.com'. Below this are two input fields: 'Licensee' with a placeholder 'The licensee.' and 'License Key' with a placeholder 'The license key for this host.'. There is an 'ok' button below the fields. Below a horizontal line, there is a section titled 'Get a License Key'. It contains two buttons: 'Get Express License' and 'Get Academic License'. At the bottom, there is a note: 'If you have purchased MarkLogic Server but do not know your license key, please send an email to license@marklogic.com'.

4. If you already have a license key, enter the name of the licensee in the Licensee field and the key in the License Key field. Skip to step 9 on page 23.

5. If you have purchased the software but do not have your license key, contact your sales representative or send an email to the specified address.
6. If you want to obtain a free, restricted-use license key for personal use or evaluation, click the Get Express License button. If you are using this for academia purposes and you want to get an academic license, click the Get Academic License button.

The express license has capacity and usage restrictions; see the license agreement for details. The academic license is limited in term and has other restrictions; see the license agreement for details.

After clicking the button, the License Key Request screen appears. The following is the Express License Key Request page:

License Key Request

The Express License is free to community members and is limited to use on one computer with at most 2 CPUs and holds up to 40GB of content. It includes options that make sense on a single computer (geospatial, alerting, conversion) and does not include options intended for clusters or enterprise usage (e.g., replication).

(All fields are required)

Name

Email

Community password

Confirm password

Company

Please sign me up for the developer mailing list.

Send me information on future product updates, MarkLogic events, and exclusive benefits

[Forgot your password?](#) Or having [other trouble?](#)

To obtain a full evaluation or production license, please contact sales@marklogic.com.

Please visit <http://community.marklogic.com> for more information on installing and using MarkLogic Server.

The following is the Academic License Key Request page:

License Key Request

The Academic License is free to community members and is limited to faculty members and students. The license includes MarkLogic Enterprise Edition with no content limitations, a 2 year time limit, and can not be used for commercial purposes.

Please log in or [sign up](#) for free!

(All fields are required)

Email

Community password

School

Year of graduation

[Forgot your password?](#) Or having [other trouble?](#)

To obtain a full evaluation or production license, please contact sales@marklogic.com.

Please visit <http://community.marklogic.com> for more information on installing and using MarkLogic Server.

7. On the License Key Request form, if you are already registered on the community site, enter your email ID and password for the community site and fill in the other fields in the form. If you are not already registered on the community site, click the “sign up” link and register to get a license key.

Note: The name of on your community site registration is associated with the license key that is issued.

8. Click the Request Express License or Request Academic License button.
The License Key Generation screen appears.
9. Click the OK button.
The server restarts and then the MarkLogic License Agreement screen appears.
10. On the MarkLogic License Agreement screen, read all terms and conditions of the MarkLogic License Agreement.


11. Click Accept to accept the license agreement.

Note: Accepting this license agreement is optional. However, to begin using MarkLogic Server, you must accept the terms and conditions outlined in the license agreement. If you have executed a written software license with MarkLogic Corporation, the agreement displayed references that written agreement.

2.6 Configuring a New Installation

This section only applies if you are installing MarkLogic Server on this host for the first time. It does not apply if you are upgrading from a previous release of MarkLogic Server.

1. After you accept the license agreement, wait for the server to restart.
2. MarkLogic Server then needs to self-install the initial databases and applications. The Server Install page appears.



3. Click OK to continue.
4. Wait for the server to restart.
5. If you are using Enterprise Edition (in a single-node or a cluster configuration), skip to “Enterprise Edition: Configuring the First and Subsequent Hosts” on page 26.

6. If you are using Standard Edition, the server prompts you to create an admin user. Enter the login name and password for the admin user.

Security Setup

MarkLogic Server has detected that Administration has not been secured. Please supply a user name and password for the Administrative user to set up security.

You also need to specify a realm for this security database. This is the realm that will be displayed to clients authenticating against this database. Since this value is used in password hashes it is recommended that you not change this value once it is set. Please read the further documentation about realms.

Admin	<input type="text" value="admin"/> User/Login name (unique) Required. You must supply a value for user-name.
Password	<input type="password" value="*****"/> Encrypted Password. Required.
Confirm Password	<input type="password" value="*****"/> Encrypted Password. Required.
Realm	<input type="text" value="public"/> The authentication realm.

Note: If you plan on using the digest or digestbasic authentication scheme, decide on the realm you want to use now and enter it in the Realm field. Changing the realm later will invalidate all digest passwords in the security database. For more information on security realms, see *Understanding and Using Security Guide*.

7. Click OK to continue. This creates an admin user.
8. The server prompts you for a username and password; enter the admin username and password you just created.

After logging in with your admin username and password, the browser displays the Admin Interface. MarkLogic Server is now installed. To verify your installation, go to “Checking for the Correct Software Version” on page 31.

Note: The installation process also creates a second user named `nobody`. The `nobody` user that the installation process creates is assigned a randomly-generated password and is given no privileges. If you want to add privileges or change the password of the `nobody` user, use the Admin Interface to modify the user, as described in the *Administrator’s Guide*.

2.7 Enterprise Edition: Configuring the First and Subsequent Hosts

The following configuration procedures are for Enterprise Edition only, and are different depending on if you run MarkLogic Server in a cluster configuration or on a single host. The Enterprise Edition only procedures are as follows:

- [Enterprise Edition: Configuring a Single Host or the First Host in a Cluster](#)
- [Enterprise Edition: Configuring an Additional Host in a Cluster](#)
- [Enterprise Edition: Leaving a Cluster and Becoming a Single Host](#)

If you are configuring MarkLogic Server as a standalone host, or if this is the first host in a cluster configuration, follow the installation instructions in Section [2.7.1](#). Otherwise, follow the installation instructions in Section [2.7.2](#).


If you are upgrading a cluster to a new release, see [Upgrading a Cluster to a New Maintenance Release of MarkLogic Server](#) in the *Scalability, Availability, and Failover Guide*.

2.7.1 Enterprise Edition: Configuring a Single Host or the First Host in a Cluster

This section only applies to Enterprise Edition installations.


To configure this installation as a single host, or as the first host in a cluster, perform the following steps:

1. Install MarkLogic Server, start MarkLogic Server, and enter your license key, as described in “Installing MarkLogic Server” on page 16, “Starting MarkLogic Server” on page 20, “Entering the License Key and Accepting the License Agreement” on page 21.
2. After accepting the license agreement, MarkLogic Server restarts. Then MarkLogic Server needs to self-install the initial databases and applications. The Server Install page appears.



3. Click OK to continue.
4. Wait for the server to restart.

5. After the server restarts, you will be prompted to join a cluster.



Join a Cluster


Now that MarkLogic Server is installed on this host, you can join an existing cluster. In order to do so, enter the host name of one of the cluster's hosts and provide the port number of that host's administration interface.

Press skip if you do not wish to join a cluster.

Host Name
One of the target cluster's hosts
Required.

Admin Port
Port for admin interface on server
Required.

6. Click Skip.
7. You will be prompted to create an admin user. Enter the login name and password for the admin user.



Security Setup

MarkLogic Server has detected that Administration has not been secured. Please supply a user name and password for the Administrative user to set up security.

You also need to specify a realm for this security database. This is the realm that will be displayed to clients authenticating against this database. Since this value is used in password hashes it is recommended that you not change this value once it is set. Please read the further documentation about realms.

Admin
User/login name (unique)
Required. You must supply a value for user-name.

Password
Encrypted Password.
Required.

Confirm Password
Encrypted Password.
Required.

Realm
The authentication realm.

8. Click OK.
9. You will be prompted to log in with your admin username and password.


You will now see the Admin Interface. If you do not need to add any hosts at this time, skip to [Section 2.8](#) on page 31.

2.7.2 Enterprise Edition: Configuring an Additional Host in a Cluster


This section only applies to Enterprise Edition installations with two or more hosts.

All hosts in a cluster have to be on the same platform. To configure this installation as an additional host in a cluster of the same platform, perform the following steps:

1. On the node you want to add to an existing cluster, install MarkLogic Server, start MarkLogic Server, and enter your license key, as described in “Installing MarkLogic Server” on page 16, “Starting MarkLogic Server” on page 20, “Entering the License Key and Accepting the License Agreement” on page 21.
2. After accepting the license agreement, MarkLogic Server restarts. Then MarkLogic Server needs to self-install the initial databases and applications. The Server Install page appears.



3. Click OK to continue.
4. Wait for the server to restart.
5. After the server restarts, you will be prompted to join a cluster.



6. Enter the DNS name or the IP address of one of the machines in the cluster. For instance, if this is the second host you are installing, you can enter the DNS name of the first host you installed.
7. Click OK.
8. You will be prompted for an admin username and password. You can use the admin username and password you created when installing the first host. Click OK.

9. Select a Group to assign this host. Click OK.

Join a Cluster

In order to join this MarkLogic cluster, the new host must be assigned to one of the cluster's groups and its name confirmed. Please select a group to join and confirm the new host's name:

Group The groups in the cluster

Host Name The name of the new host in the cluster.

10. Click OK to confirm that you are joining the cluster.

Join a Cluster

You are about to join this MarkLogic cluster. To proceed click OK.

11. You have now joined the cluster.

Joined a Cluster

Joined a Cluster
MarkLogic Server

A new host has joined the MarkLogic cluster. Press ok to transfer cluster configuration information to the new host.

12. Click OK to transfer the cluster configuration information.

You have completed the process to join a cluster and will now see the Admin Interface.

2.7.3 Enterprise Edition: Leaving a Cluster and Becoming a Single Host

This section only applies to Enterprise Edition installations.

If your host is currently in a cluster of multiple hosts, and you would like to leave the cluster and switch to a single host environment, follow the steps in this section.

A host cannot leave a cluster if there are still forests assigned to it or if it has any foreign clusters associated with it; you must delete all forests assigned to the host and de-couple any clusters associated with a host before you can leave the cluster. However, you can delete the configuration only for a forest and the forest data will remain on the filesystem, allowing you to add the forest back to the host after changing the configuration. For instructions on adding a forest to a host, see the *Administrator's Guide*.

Perform the following steps to leave the cluster to which a host is connected.

1. Run the Admin Interface from the host you want to remove from the cluster.
2. Click the Hosts icon in the left menu tree. The Host Summary page appears.
3. Click the name of the host you want to remove from the cluster, either from the left menu tree or from the Host Summary page. The Host Configuration page appears:

The screenshot shows the 'Host Configuration' dialog box. The title bar is red and contains the text 'Host Configuration'. Below the title bar are four tabs: 'Summary', 'Configure', 'Status', and 'Help'. The 'Configure' tab is selected. The main area of the dialog is light yellow and contains the following fields:

- host name***: A text input field containing 'raymond.marklogic.com'. Below it is the text 'The internet host name.'
- group***: A dropdown menu showing 'Default'. Below it is the text 'The group the host belongs to.'
- bind port***: A text input field containing '7999'. Below it is the text 'The distributed protocol server socket bind internet port number.'

At the top right of the dialog are 'ok' and 'cancel' buttons. In the top right of the configuration area is a 'leave' button. At the bottom of the dialog are 'ok' and 'cancel' buttons. A note at the bottom left of the configuration area reads: '* -- requires restart of one or more hosts'.

Note: The Leave button only appears if the Admin Interface is running from this host.

4. Click the Leave button
5. Click OK to confirm leaving the cluster.
6. The host restarts to load the new configuration.

7. Follow the instructions in sections “Configuring a Single Host or the First Host in a Cluster” or “Configuring an Additional Host in a Cluster” as appropriate.

2.8 Checking for the Correct Software Version

After logging in with your admin username and password, the Admin Interface appears. In the left corner of the Admin Interface, the version number and product edition are displayed.

To view more details about the release of MarkLogic Server that is installed and licensed, complete the following steps:

1. Click the Hosts icon on the left tree menu.
2. Select the name of the host you just installed, either from the left menu tree or from the Host Summary page.
3. Click the Status tab. The Host Status page appears.
4. Check that `<version>` is correct.

The screenshot shows the 'Host Status' page in the MarkLogic Admin Interface. The page title is 'Host: raymond.marklogic.com'. Below the title, there are tabs for 'Summary', 'Configure', 'Status', and 'Help'. The 'Status' tab is selected. The page content includes a 'host status' section with a sub-header 'A detailed view of this host's status.' and three buttons: 'license key', 'restart', and 'shutdown'. The main content area displays the following information:

Host	raymond.marklogic.com
Group	Default
Online	Host up since September 12, 2008 1:57:54 PM
Version	4.0-1
License Key	9F67-6F3B-F95F-PUB-61B6-B33E-95FC-496B-436A-DFC2-8EB1-1924
Licensee	raymond
Edition	Enterprise Edition
Expiry	November 2, 2008
CPUs	2
Cores	4
Options	conversion, failover, geospatial, alerting, entity enrichment, French, German, English
Data Directory Available	6,950 MB
Log Space Available	6,950 MB

To begin using MarkLogic Server, see the following document:

- *Getting Started With MarkLogic Server*

Otherwise, you are finished with the Admin Interface for now. You have successfully installed MarkLogic Server on your system.

2.9 Configuring MarkLogic Server on UNIX Systems to Run as a Non-daemon User

On UNIX-based systems (Linux and Solaris), MarkLogic Server runs as the UNIX user named `daemon`. This section describes how to change a configuration to run as a different named UNIX user. This procedure must be run by the `root` user. Additionally, the `root` user is still required for installing and uninstalling MarkLogic Server and for starting and stopping MarkLogic Server from the startup scripts.

To modify an installation to run as a user other than `daemon`, perform the following steps:

1. In a command window on the machine in which you installed MarkLogic Server, log in as the `root` user.
2. Make sure MarkLogic Server is stopped. If it is still running, stop it as follows:

Platform	Perform the following to stop MarkLogic Server:
Red Hat Linux	As the <code>root</code> user, enter the following command: <code>/etc/init.d/MarkLogic stop</code>
Sun Solaris	As the <code>root</code> user, enter the following command: <code>/etc/init.d/MarkLogic stop</code>

3. Edit the configuration file for your platform using a text editor such as `vi`.

Platform	Configuration File to Edit
Red Hat Linux	<code>/etc/sysconfig/MarkLogic</code>
Sun Solaris	<code>/etc/MarkLogic.conf</code>

4. In the file, edit the `MARKLOGIC_USER` environment variable to point to the user in which you want MarkLogic Server to run. For example, if you want it to run as a user named `raymond`, change the following line:

```
MARKLOGIC_USER=daemon
```

to the following:

```
MARKLOGIC_USER=raymond
```

5. Save the changes to the `/etc/sysconfig/MarkLogic` or `/etc/MarkLogic.conf` file.

6. If you have not yet started MarkLogic Server after performing a clean installation (that is, after installing into a directory where MarkLogic Server has never been installed), then you are done and you can skip the rest of the steps in this procedure. If you have an existing installation (for example, if you are upgrading to a maintenance release), then continue with the following steps.
7. For all of the MarkLogic Server files owned by `daemon`, you need to change the owner to the new user. This includes all forest data and all of the configuration files. By default, the forest data is in the following directories:

Platform	Default Data Directory (for configuration and log files, and default forest directory)
Red Hat Linux	<code>/var/opt/MarkLogic</code>
Sun Solaris	<code>/var/opt/MARKlogic</code>

For example, on a Linux system, perform a command similar to the following, which changes the owner to the user specified earlier in the `/etc/sysconfig/MarkLogic` file:

```
chown -R raymond /var/opt/MarkLogic
```

8. Make sure to change the owner for all forests in the system, otherwise forests will fail to mount upon startup. Note that the above command only changes the owner for forests installed in the default directory. You need to run a similar command on the data directory for each forest in which a data directory is specified.
9. When you have completed all the file and directory ownership changes, start MarkLogic Server as described in “Starting MarkLogic Server” on page 20.

Once you have performed this procedure, all new files created by MarkLogic Server are created with the new user ownership; there will be no need to change any ownership again. Also, the configuration changes you made in this procedure will not be changed during an upgrade of MarkLogic Server. If you perform a clean installation (not an upgrade installation), however, you will need to run this procedure again.

2.10 Removing MarkLogic Server

To remove MarkLogic Server from your system, complete the following steps:

1. Stop MarkLogic Server by performing the following action based on the platform in which you are running:

Platform	Perform the following:
Windows	Select Start > Programs > MarkLogic Server > Stop MarkLogic Server. Note: If you are using Windows Vista or Windows 7, to stop the service you must right-click the Stop MarkLogic Server link in the Start menu and choose Run as Administrator, then choose to allow the action.
Red Hat Linux	As the <code>root</code> user, enter the following command: <pre data-bbox="678 957 1089 989">/etc/init.d/MarkLogic stop</pre>
Sun Solaris	As the <code>root</code> user, enter the following command: <pre data-bbox="678 1092 1089 1123">/etc/init.d/MarkLogic stop</pre>
Mac OS X	Select System Preferences > MarkLogic to open the MarkLogic control window. Click Stop MarkLogic Server.

2. Once the server is stopped, you can uninstall MarkLogic Server package by performing the following action based on the platform in which you are running:

Platform	Perform the following:
Windows	Use the Add/Remove Programs Control Panel to uninstall MarkLogic Server.
Red Hat Linux	As the <code>root</code> user, enter the following command: <code>rpm -e MarkLogic</code>
Sun Solaris	As the <code>root</code> user, enter the following command: <code>pkgrm MARKlogic</code>
Mac OS X	No action is necessary when upgrading. If you want to remove the user data and do a fresh install, then remove the following directory: <code>~/Library/Application Support/MarkLogic/Data</code> To entirely remove MarkLogic Server, remove the following directories: <code>~/Library/MarkLogic</code> <code>~/Library/Application Support/MarkLogic</code> <code>~/Library/StartupItems/MarkLogic</code> <code>~/Library/PreferencePanes/MarkLogic.prefPane</code>

Note: Using this procedure to remove MarkLogic Server from your system will not remove user data (configuration information, XQuery files used by HTTP or XDBC servers, or forest content). This data is left in place to simplify the software upgrade process. If you wish to remove the user data, you must do so manually using standard operating system commands.

3.0 Technical Support

MarkLogic provides technical support according to the terms detailed in your Software License Agreement or End User License Agreement. For evaluation licenses, MarkLogic may provide support on an “as possible” basis.

For customers with a support contract, we invite you to visit our support website at <http://support.marklogic.com> to access information on known and fixed issues.

For complete product documentation, the latest product release downloads, and other useful information for developers, visit our developer site at <http://developer.marklogic.com>.

If you have questions or comments, you may contact MarkLogic Technical Support at the following email address:

support@marklogic.com

If reporting a query evaluation problem, please be sure to include the sample XQuery code.

Product Notices

COPYRIGHT

Copyright © 2012 MarkLogic Corporation. All rights reserved.

The MarkLogic software is protected by United States and international copyright laws, and incorporates certain third party libraries and components which are subject to the attributions, terms, conditions and disclaimers set forth below.

1. Contains SAP BusinessObjects Text Analysis XI from SAP AG. Copyright © 1996-2011. All rights reserved.
2. Highslide Software from Highslide Software Torstein Honsi. All Highslide Software is protected by local and international copyright laws. All rights reserved.
3. Icons developed by Yusuke Kamiyamane. Copyright © 2011 Yusuke Kamiyamane. All rights reserved. Icons are licensed subject to <http://creativecommons.org/licenses/by/3.0/legalcode>.
4. Antenna House OfficeHTML Copyright © 2000-2008 Antenna House, Inc. All rights reserved.
5. Argus Copyright ©1999-2008 Icen Technology Ltd. All rights reserved.
6. Rosette Linguistics Platform 6.5.2/6.5.3 from Basis Technology Corporation, Copyright © 2004-2008 Basis Technology Corporation. All rights reserved.
7. ISYS Search. Copyright © 2011 ISYS™ Search Software, Inc. All rights reserved.
8. Software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>) Copyright © 1995-1998 Eric Young (eay@cryptsoft.com). All rights reserved. Copyright © 1998-2011 The OpenSSL Project. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)" 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org. 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project. 6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)" THIS SOFTWARE

IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com). Additional terms may apply to the foregoing software as further set forth at <http://www.openssl.org/source/license.html>

9. ICU v. 4.2.1 available from <http://site.icu-project.org/> Copyright © 1995-2011 International Business Machines Corporation and others. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

10. Tidy available at <http://www.w3.org/People/Raggett/tidy/>. Copyright © 1998-2008 World Wide Web Consortium (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

11. 'zlib' general purpose compression library v. 1.2.3. Copyright © 1995-2010 Jean-loup Gailly and Mark Adler. http://www.zlib.net/zlib_license.html

12. RSA Data Security, Inc. MD5 Message-Digest Algorithm, copyright © 1991-2, RSA Data Security, Inc. Created 1991. All rights reserved. License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function. License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work. RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind. These notices must be retained in any copies of any part of this documentation and/or software.

13. TRE software, available at <http://laurikari.net/tre/>. Copyright © 2001-2009 Ville Laurikari <vl@iki.fi>. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: (1) Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. (2) Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

14. Eigen Library, version 2.0.10, available at http://eigen.tuxfamily.org/index.php?title=Main_Page. Eigen Library is free software: you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version. Eigen Library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details. You should have received a copy of the GNU Lesser General Public License along with Eigen Library. If not, see: <http://www.gnu.org/copyleft/lesser.html>

15. FunctX XQuery Library v.1.0 available at <http://www.xqueryfunctions.com/xq/>, Copyright © Datypic (Priscilla Walmsley). You can redistribute such library and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the

hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License as available at <http://www.gnu.org/licenses/lgpl-2.1.html#SEC4> for more details.

16. DeployJava.js v. 1.8, Copyright © 2006, 2011, Oracle and/or its affiliates. All rights reserved. ORACLE PROPRIETARY/CONFIDENTIAL. Use of the foregoing library is subject to the following license terms. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

17. YUI libraries v.2.8 available at <http://developer.yahoo.com/yui/>. Copyright © 2011 Yahoo! Inc. All rights reserved. Use of the foregoing libraries is subject to the following license terms. Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of Yahoo! Inc. nor the names of YUI's contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Additional notices related to components included in the foregoing library are also available at the following URL: <http://yuilibrary.com/license/>

18. XSLTForms libraries available at <http://sourceforge.net/projects/xsltforms/>. You can redistribute such libraries and/or modify them under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. These libraries are distributed in the hope that they will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License as available at <http://www.gnu.org/licenses/lgpl-2.1.html#SEC4> for more details.

19. jQuery v.1.7 libraries available at <http://jquery.com/> and jQuery UI v.1.8.2 libraries available at <http://jqueryui.com/>. Copyright © 2011 John Resig. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

20. JSON v. 2 libraries available at <http://www.json.org/json2.js>. Copyright © 2002 JSON.org. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. The Software shall be used for Good, not Evil. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

21. CodeMirror libraries available at <http://codemirror.net/>. Copyright © 2011 by Marijn Haverbeke marijnh@gmail.com. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions: The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software. **THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.**

22. cURL v. 7.22.0 available at <http://curl.haxx.se/>. Copyright © 1996 - 2011, Daniel Stenberg, <daniel@haxx.se>. All rights reserved. Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies. **THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.** Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

23. History.js available <https://github.com/balupton/History.js/> Copyright © 2011, Benjamin Arthur Lupton. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. Neither the name of Benjamin Arthur Lupton nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. **THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,**

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

24. Sample content provided for use with the software is copyrighted by the respective authors as contributed by each of them to Wikipedia pursuant to the Creative Commons Attribution-ShareAlike License found at <http://creativecommons.org/licenses/by-sa/3.0/>.

25. Visual Studio Tools for Office 3.0 (Microsoft VSTO 3.0) licensed under Microsoft Public License Microsoft Public License (Ms-PL) found at <http://msdn.microsoft.com/en-us/library/ff647676.aspx>.

26. The MarkLogic Connector for Hadoop contains Apache Jakarta Commons Modeler. Copyright 2001-2007 The Apache Software Foundation. Licensed under the Apache License, Version 2.0 (the "License"). You may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

27. jemalloc v 2.2.4. <http://www.canonware.com/jemalloc/index.html>, released under the terms of the following BSD-derived licenses: Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice(s), this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice(s), this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Portions of the software are copyright (C) 2002-2011 Jason Evans, and portions copyright (C) 2009-2011 Facebook, Inc. and copyright (C) 2007-2010 Mozilla Foundation. Neither the name of Facebook, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission. All rights reserved.

28. Gziphelper; version: 1.0, Feb, 2003, authored by Gao Dasheng, is distributed subject to the following terms: This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions: (1.) the origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required; (2) altered source versions must be plainly marked as such, and must not be misrepresented as being the original software; (3) this notice may not be removed or altered from any source distribution.

TRADEMARK NOTICE

The MarkLogic name and logo are registered trademarks of MarkLogic Corporation in the United States and/or other countries. Excel and PowerPoint are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Any other names or logos included in the Software, this notice or the documentation are property of the respective trademark owners.